


viv wood

Chair / Lounge / Barstool



About Viv Wood

As a simple and comfortable staple of the naughtone portfolio, the Viv Wood chair's slender shape combined with solid use of materials, is highlighted by its tight and skilful upholstery, making it a welcome addition to the home, meeting room or break out space.

Compliance

- SCS Indoor Advantage™ Gold Certificate
- FSC®certified products available upon request
- naughtone is FISP and ISO14001 certified
- Our chairs are designed to meet or exceed all EN performance requirements per BS EN 16139:2013
- Health Product Declaration (HPD) reports available

Sizes

All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch



VIVCHWD
Viv Wood Chair
mm
W515 D 560 H780 Seat 450
inch
W20.5 D 22 H30.5 Seat 17.5



VIVCHSWD
Viv Wood Counter Height Stool
mm
W560 D 560 H910 Seat 660
inch
W22 D 22 H36 Seat 26



VIVBSWD
Viv Wood Barstool Chair
mm
W560 D 560 H1000 Seat 750
inch
W22 D 22 H39.5 Seat 29.5



VIVLOWD
Viv Wood Lounge Chair
mm
W595 D 650 H650 Seat 400
inch
W23.5 D 25.5 H25.5 Seat 16

Base Finishes



Solid Oak base
Standard

Solid Walnut base













Viv Wood Technical Specifications

Testing

Our chairs are designed to meet or exceed all EN performance requirements per **EN16139:2013**, which includes the following tests:

- Seat and back static load test
- Seat front edge static load test
- Vertical static load on back
- Foot rest and leg rest static load test
- Arm sideways static load test
- Arm downwards static load test
- Vertical upwards static load on arm rests
- Seat and back durability test
- Seat front edge durability test
- Leg forward static load test
- Leg sideways static load test
- Seat impact test
- Back impact test
- Arm impact test

Structural Testing Certifications

VIVCHWD

Viv wood chair
BS EN 16139:2013, Level 1
Static load 160kg

VIVBSWD

Viv Wood barstool
BS EN 16139,2013, Level 1
Static load 160kg

VIVLOWD

Viv Wood lounge chair
BS EN 16139:2013, Level 1
Static load 160kg

Flammability

The cold cure foam material has been tested to meet the following standards:

British standard
5852:2006 Part 2

California Technical Bulletin
117-2013

Italian standards
UNI 9175-CLASS 1.IM

The flammability standard of the covering fabric is dependent on the choice made by the customer, details of the flammability rating of specific fabrics can be found on supplier's websites listed below.

- www.kvadrat.dk
- www.camirafabrics.com
- www.butefabrics.com
- www.panaz.com
- www.maharam.com
- www.vescom.com
- www.ultrafabricsllc.com
- www.crestleather.com

Servicing




If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

Warranty




naughtone offers a **7 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at naughtone.com/warranty

Viv Wood Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Seat Height	E Seat Width	F Height from Seat to Top	G Weight
1 VIVCHWD Viv Wood Chair	515 mm 20.5 in	560 mm 22 in	780 mm 30.5 in	450 mm 17.5 in	415 mm 16.5 in	320 mm 125 in	10.1 kg 22.3 lbs
2 VIVBSWD Viv Wood Barstool	560 mm 22 in	560 mm 22 in	1000 mm 39.5 in	750 mm 29.5 in	415 mm 16.5 in	250 mm 10 in	11.9 kg 26.2 lbs
3 VIVCHSWD Viv Wood Counter Height	560 mm 22 in	560 mm 22 in	910 mm 36 in	660 mm 26 in	415 mm 16.5 in	250 mm 10 in	11.7 kg 25.8 lbs
4 VIVLOWD Viv Wood Lounge Chair	595 mm 23.5 in	650 mm 25.5 in	650 mm 25.5 in	400 mm 16 in	525 mm 20.5 in	250 mm 10 in	18.7 kg 41.2 lbs

Measuring Guide



Viv Wood Environmental Product Summary



Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®certified**
- **10.1kg** total weight
- **5.5% Recyclable** (foam and fixings)
- **90% Reusable** (plywood frame and base)
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)
- **Health Product Declarations** (HPD) reports available


These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




Viv Wood Environmental Product Summary

Material Percentage Split

- 51.29% Solid oak
- 38.69% Beech Plywood
- 4.69% CMHR Foam
- 4.55% Fabric
- 0.28% Mlld Steel
- 0.23% Mlld Steel Zinc Plated
- 0.23% Polypropylene
- 0.05% Stainless Steel 304(A2)



Recyclable Content



Product Specific Design Statement

The Viv Wood chair is available in a variety of different sizes, but for this document we have used:

Viv Wood Chair

The Viv Wood chair inner shell is constructed from a 3D formed plywood, providing a comfortable bucketed seat. This is then covered with CMHR foams and then fully upholstered with fabric.

The Viv timber base is cut from solid Oak, sealed with spray matt lacquer and traditionally assembled by hand. The Viv Wood seat and base are assembled together by hand using minimal fixings and can be easily disassembled if necessary.

CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer **FSC®certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover. Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages. This document will be reviewed and updated periodically and is subject to change without notice.





1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colours allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

UK Showroom

6 Bakers Yard
Clerkenwell
London EC1R3DD
T: +44 (0)20 389 22 788

US Showroom

Suite 11-88
222 Merchandise Mart Plaza
Floor 11
Chicago IL 60654

naughtone HQ

Knaresborough Tech Park
Manse Lane
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500
E: sales@naughtone.com

www.naughtone.com