

NOOM

By Alegre Design

INNER / SPACE



NO
OM

The enormous versatility and personalization capacity of **Noom**, designed by the **Alegre Design** studio, allows this line to fit into areas that include lobbies, waiting areas, meeting rooms and hotels, among others. And it achieves this thanks to chairs, armchairs, benches with an affable and transverse design available in a wide variety of options in terms of seat and structure, from armchairs with metal and wooden bases to high benches for counter and restaurant bar.

In its creation, **Noom** combines handcrafted upholstery with pattern-making technologies and 3D seams that generate new sensations from a line of soft seating that find their space organically in contract and work environments.



ACTIU

www.actiu.com

Design goes beyond aesthetics: innovation, space and furniture go hand in hand to create environments that are friendlier, more comfortable and more motivating for people: environments that are more dynamic, fresh, creative, ergonomic and functional.

A business philosophy in which design is part of our DNA, as we apply it to every facet of the company: products, architecture, projects, brand, communication, work spaces ...

Noom Serie 10



Model	NOOM Serie 10 - Armchair - Medium Backrest			
Model reference	4 metal legs	4 Conical wooden legs	4 pyramidal wooden legs	Aluminium round base
Model of Backrest	Medium backrest	Medium backrest	Medium backrest	Medium backrest
Internal Structure	Steel internal structure.			
Backrest & seat	Backrest & seat injected with flexible PUR foam of 80 kg/m ³ density. Upholstered in fabric for easy cleaning.			
Cushion	Injected cushion of flexible PUR foam of 60 kg/m ³ density. Upholstered in fabric for easy cleaning.			
Sewing Type	Simple Sewing - Monocolour French Sewing - Monocolour and Bicolour Sewing with trim - Monocolour with Color Trim			
Structure/Base	Base of 4 legs in steel tube Ø18mm x 2mm thick. Crossbeam in steel tube Ø16mm x 2mm thick. Hot-rolled cylindrical tubes. Black and White finishes.	Base with 4 conical legs in solid Beech wood in natural and black finish.	Base with 4 legs of solid Beech wood in pyramidal form. Natural finish and black.	Round base Ø57,8 cm, made of aluminium in black and white finishes.
Mechanism			Swivel seat with self-return system	Swivel seat with self-return system
Supports	Black non-slip rubber pad.			
Dimensions <small>*according to UNE-EN 1335-1</small>	Total Dimensions: Height: 824 mm Width: 760 mm Depth: 785 mm Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 785 mm	Total Dimensions: Height: 824 mm Width: 760 mm Depth: 785 mm Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 785 mm	Total Dimensions: Height: 824 mm Width: 760 mm Depth: 785 mm Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 785 mm	Total Dimensions: Height: 824 mm Width: 760 mm Depth: 785 mm Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 785 mm

Noom Serie 20



Model	NOOM Serie 20 - Armchair - High Backrest with Headrest	
Model reference	4 pyramidal wooden legs	Aluminium round base
Model of Backrest	High Backrest	High Backrest
Internal Structure	Steel internal structure.	
Backrest & seat	Backrest & seat injected with flexible PUR foam of 80 kg/m ³ density. Upholstered in fabric for easy cleaning.	
Cushion	Injected cushion of flexible PUR foam of 60 kg/m ³ density. Upholstered in fabric for easy cleaning.	
Sewing Type	Simple Sewing - Monocolour French Sewing - Monocolour and Bicolour Sewing with trim - Monocolour with Color Trim	
Structure/Base	Base with 4 legs of solid Beech wood in pyramidal form. Natural finish and black.	Round base Ø57,8 cm, made of aluminium in black and white finishes.
Mechanism	Swivel seat with self-return system	Swivel seat with self-return system
Supports	Black non-slip rubber pad.	Black non-slip rubber pad.
Dimensions <small>*according to UNE-EN 1335-1</small>	Total Dimensions: Height: 1.044 mm Width: 760 mm Depth: 834 mm Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 834 mm	Total Dimensions: Height: 1.044 mm Width: 760 mm Depth: 834 mm Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 834 mm

Noom Serie 30



Model	NOOM Serie 30 - Chair				
Model reference	4 metal legs	4 Conical wooden legs	4 pyramidal wooden legs	Swivel base with 4-spoke and pads	Swivel base with 4-spoke and castors
Model of Backrest	Medium backrest	Medium backrest	Medium backrest	Medium backrest	Medium backrest
Internal Structure	Steel internal structure.				
Backrest & Seat	Backrest and seat injected with flexible PUR foam of 90 kg/m ³ density. Upholstered in fabric for easy cleaning.				
Sewing Type	Simple Sewing - Monocolour French Sewing - Monocolour and Bicolour Sewing with trim - Monocolour with Color Trim				
Base	Base of 4 legs in steel tube Ø16mm x 2mm thick. Crossbeam in steel tube Ø13mm x 2mm thick. Hot-rolled cylindrical tubes. Black and White finishes.	Base with 4 conical legs in solid Beech wood in natural and black finish.	Base with 4 conical legs in solid Beech wood in natural and black finish.	Ø 67.5 cm swivel base with 4-spoke, in die-cast aluminium. Base finishes: white or black aluminium.	Ø 67.5 cm swivel base with 4-spoke, in die-cast aluminium. Base finishes: white or black aluminium.
Mechanism			Swivel seat with self-return system	Swivel seat with self-return system	Swivel Seat and Gas Lift
Supports	Black non-slip rubber pad.	Standard soft hole castors.			
Dimensions	Total Dimensions: Height: 833 mm Width: 585 mm Depth: 616 mm Dimensions Seat: Height: 476 mm Width: 585 mm Depth: 616 mm	Total Dimensions: Height: 833 mm Width: 585 mm Depth: 616 mm Dimensions Seat: Height: 476 mm Width: 585 mm Depth: 616 mm	Total Dimensions: Height: 833 mm Width: 585 mm Depth: 616 mm Dimensions Seat: Height: 476 mm Width: 585 mm Depth: 616 mm	Total Dimensions: Height: 833 mm Width: 675 mm Depth: 675 mm Dimensions Seat: Height: 476 mm Width: 585 mm Depth: 616 mm	Total Dimensions: Height: 833 to 890 mm Width: 675 mm Depth: 675 mm Dimensions Seat: Height: 480 to 540 mm Width: 585 mm Depth: 616 mm
<small>*according to UNE-EN 1335-1</small>					

Noom Serie 40



Model	NOOM Serie 40 - Stool / Draughtman Chair						
Model reference	Cantilever Stool		Stool with 4 pyramidal steel legs		Stool with 4 pyramidal wooden legs		Draughtman chair with swivel base with castors
Model of Backrest	Low Backrest		Low Backrest		Low Backrest		Low Backrest
Backrest & Seat	Polypropylene (P.P.) housing of 5 mm thick with fiberglass. White, grey and black finish.		Polypropylene (P.P.) housing of 5 mm thick with fiberglass. White, grey and black finish. Lower part of support in injected aluminium of black colour.		Polypropylene (P.P.) housing of 5 mm thick with fiberglass. White, grey and black finish. Lower part of support in injected aluminium of black colour.		Polypropylene (P.P.) housing of 5 mm thick with fiberglass. White, grey and black finish. Lower part of support in injected aluminium of black colour.
Cushion (in option)	Injected cushion of flexible PUR foam of 120 kg/m ³ density. Upholstered in M or D. Optional textured PUR padding of 280 kg/m ³ density, textile type with pleasant touch that gives greater strength. Easy to clean with soap and water.		Injected cushion of flexible PUR foam of 120 kg/m ³ density. Upholstered in M or D. Optional textured PUR padding of 280 kg/m ³ density, textile type with pleasant touch that gives greater strength. Easy to clean with soap and water.		Injected cushion of flexible PUR foam of 120 kg/m ³ density. Upholstered in M or D. Optional textured PUR padding of 280 kg/m ³ density, textile type with pleasant touch that gives greater strength. Easy to clean with soap and water.		Injected cushion of flexible PUR foam of 120 kg/m ³ density. Upholstered in M or D. Optional textured PUR padding of 280 kg/m ³ density, textile type with pleasant touch that gives greater strength. Easy to clean with soap and water.
Structure/ Base	Structure made of hot rolled steel cylindrical tube of Ø13mm and e=2 mm. Footrest in cylindrical tube of hot-rolled steel Ø13x2 mm. Black and White finishes.		Structure made of hot rolled steel cylindrical tube of Ø18mm and e=2 mm. Footrest in cylindrical tube of hot-rolled steel Ø13x2 mm. Black and White Finishes		Base with 4 legs of solid Beech wood in pyramidal form. Footrest in cylindrical tube of hot-rolled steel Ø16x2 mm in black. Finished in natural beech.		5-spoke swivel base in diecast aluminium or glassfibre polyamide. Footrest in cylindrical tube of hot-rolled steel Ø16x2 mm in chromed. Base finishes: black or white polyamide.
Mechanism			Swivel seat		Swivel seat		Swivel Seat and Gas Lift
Supports	Black non-slip rubber pad.		Caps and plugs in black finish.		Black non-slip rubber pad.		Standard silent castors. Other castors and caps in option.
Dimensions <small>*according to UNE-EN 1335-1</small>	<p>Total Dimensions: Height: 1010 mm Width: 452 mm Depth: 481 mm</p> <p>Dimensions Seat: Height: 760 mm Width: 428 mm Depth: 470 mm</p>	<p>Total Dimensions: Height: 925 mm Width: 425 mm Depth: 493 mm</p> <p>Dimensions Seat: Height: 670 mm Width: 428 mm Depth: 470 mm</p>	<p>Total Dimensions: Height: 1010 mm Width: 430 mm Depth: 470 mm</p> <p>Dimensions Seat: Height: 760 mm Width: 428 mm Depth: 470 mm</p>	<p>Total Dimensions: Height: 925 mm Width: 428 mm Depth: 470 mm</p> <p>Dimensions Seat: Height: 670 mm Width: 428 mm Depth: 470 mm</p>	<p>Total Dimensions: Height: 1010 mm Width: 430 mm Depth: 470 mm</p> <p>Dimensions Seat: Height: 760 mm Width: 428 mm Depth: 470 mm</p>	<p>Total Dimensions: Height: 925 mm Width: 428 mm Depth: 470 mm</p> <p>Dimensions Seat: Height: 670 mm Width: 428 mm Depth: 470 mm</p>	<p>Total Dimensions: Height: 970 a 1130 mm Width: 675 mm Depth: 675 mm</p> <p>Dimensions Seat: Height: 690 a 850 mm Width: 428 mm Depth: 470 mm</p>

Noom Serie 50



Model	NOOM Serie 50 - Chair			
Model reference	4 metal legs without Arms	4 metal legs with simple arm	4 metal legs with Closed arms with armrest	4 metal legs with Closed arms without armrest
Model of Backrest	High Backrest	High Backrest	High Backrest	High Backrest
Backrest and Seat	Polypropylene: Polypropylene (P.P) frame, 5 mm thick, with glass fibre. Optional seat Pad Upholstered with an ergonomic cushion (110-120 kg/m ³) in upholstered or PUR Upholstered: Polypropylene (P.P) frame, with PU (polyurethane) flexible molded foam density of 40kg/m ³ , upholstered finish with simple cleaning and maintenance.			
Arms	Model without arms	Model with simple arm, with PP armrest.	Model with closed arms with PP armrest.	Model with closed arms without armrest.
Bottom structure	Bottom structure: 24,5 x 12 mm ovale steel tube bars, 1,5 mm thick. Lower polypropylene frame covering the structure.			
Structure	Structure made with cylindrical hot-rolled steel tubes, Ø16mm and e=2 mm, with a 90-micron thick epoxy paint coating.			
Supports	End caps in a black finish with felt silent pad-anti scratch.	End caps in a black finish with felt silent pad-anti scratch.	End caps in a black finish with felt silent pad-anti scratch.	End caps in a black finish with felt silent pad-anti scratch.
Dimensions <small>*according to UNE-EN 1335-1</small>	Total Dimensions: Height: 836 mm Width: 508 mm Depth: 558 mm Dimensions Seat: Height: 473 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 836 mm Width: 622 mm Depth: 558 mm Dimensions Seat: Height: 473 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 836 mm Width: 585 mm Depth: 578 mm Dimensions Seat: Height: 473 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 836 mm Width: 585 mm Depth: 578 mm Dimensions Seat: Height: 473 mm Width: 443 mm Depth: 519 mm

OPTIONAL ACCESSORIES - 4 LEGS CHAIRS AND CANTILEVER CHAIR

■ **STACKING**

The 4 legs chairs is designed for the seats to be stacked on top of one another, with the ability to stack **up to 30 chairs in the stacking cart and up to 15 chairs in the standard way.** (without an upholstered seat)



■ **OPTIONAL ACCESSORIES**



Optional removable writing tablet in 3 mm compact laminate; can be placed on the right or left.
Chairs with a writing tablet stack 4 chairs in the standard way.

Noom Serie 50



Model	NOOM Serie 50 - Cantilever			NOOM Serie 50 - 4 Wood Legs	
Model reference	Cantilever without Arms	Cantilever with simple arm	Cantilever stool without arms	4 wood legs without arms	4 wood legs stool without arms
Model of Backrest	High Backrest	High Backrest	High Backrest	High Backrest	High Backrest
Backrest and Seat	Polypropylene: Polypropylene (P.P) frame, 5 mm thick, with glass fibre. Optional seat Pad Upholstered with an ergonomic cushion (110-120 kg/m ³) in upholstered or PUR Upholstered: Polypropylene (P.P) frame, with PU (polyurethane) flexible molded foam density of 40kg/m ³ , upholstered finish with simple cleaning and maintenance.				
Arms	Model Sin Arms	Model with simple arm, with PP armrest.	Model without arms	Model without arms	Model without arms
Bottom structure	Bottom structure: 24,5 x 12 mm ovale steel tube bars, 1,5 mm thick. Lower polypropylene frame covering the structure.			Bottom frame of injected aluminum, which gives the chair greater precision, lightness and recyclability, covering the structure	
Structure	Structure made with cylindrical hot-rolled steel tubes, Ø16mm and e=2 mm, with a 90-micron thick epoxy paint coating.			Wooden legs with a conical shape in a natural beech wood or black lacquered finish.	
Footrest			Ø13x2 mm hot-rolled steel cylindrical tube footrest. Protector for placing feet on chairs with a painted structure.		Ø13x2 mm hot-rolled steel cylindrical tube footrest. Black Finish
Supports	End caps in a black finish with felt silent pad-anti scratch.	End caps in a black finish with felt silent pad-anti scratch.	End caps in a black finish with felt silent pad-anti scratch.	End caps in a black finish with felt silent pad-anti scratch.	End caps in a black finish with felt silent pad-anti scratch.
Dimensions <small>*according to UNE-EN 1335-1</small>	Total Dimensions: Height: 836 mm Width: 522 mm Depth: 543 mm Dimensions Seat: Height: 473 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 836 mm Width: 622 mm Depth: 543 mm Dimensions Seat: Height: 473 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 1144 mm Width: 518 mm Depth: 578 mm Dimensions Seat: Height: 781 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 836 mm Width: 443 mm Depth: 519 mm Dimensions Seat: Height: 469 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 1137 mm Width: 443 mm Depth: 519 mm Dimensions Seat: Height: 774 mm Width: 443 mm Depth: 519 mm

OPTIONAL ACCESSORIES



For **projects of facilities** that require **concatenated joints of the chairs and minimum quantities of 100 units**, consult with **Sales Department**.

Can only be used on armless Cantilever chairs.

Noom Serie 50



Model	NOOM Serie 50 - 4/5 spoke Base			
Model reference	Swivel base with 4-spoke and pads	Swivel base with 4-spoke and castors	Swivel base with 5-spoke and castors	Draughtman chair with swivel base with castors
Model of Backrest	High Backres	High Backres	High Backres	High Backres
Backrest and Seat	Polypropylene: Polypropylene (P,P) frame, 5 mm thick, with glass fibre. Optional seat Pad Upholstered with an ergonomic cushion (110-120 kg/m ³) in upholstered or PUR Upholstered: Polypropylene (P,P) frame, with PU (polyurethane) flexible molded foam density of 40kg/m ³ , upholstered finish with simple cleaning and maintenance.			
Arms	Model without arms	Model without arms	Model without arms	Model without arms
Bottom structure	Bottom frame of injected aluminum, in white or black finish.	Bottom frame of injected aluminum, in white or black finish.	Bottom frame of injected aluminum, in white or black finish.	Bottom frame of injected aluminum, in white or black finish.
Base	Ø 67.5 cm swivel base with 4-spoke, in die-cast aluminium. Base finishes: white or black aluminium.	Ø 67.5 cm swivel base with 4-spoke, in die-cast aluminium. Base finishes: white or black aluminium.	Ø 67.5 cm swivel base with 5-spoke, in glassfibre polyamide Base finish: black polyamide..	Ø 67.5 cm swivel base with 5-spoke, in glassfibre polyamide Base finish: black polyamide..
Footrest				Footrest in cylindrical tube of hot-rolled steel Ø16x2 mm in chromed.
Mechanism	Swivel seat with self-return system	Swivel Seat and Gas Lift	Swivel Seat and Gas Lift	Swivel Seat and Gas Lift
Supports	Black non-slip rubber pad.	Standard soft hole castors.	Standard silent castors. Other castors and caps in option.	Standard silent castors. Other castors and caps in option.
Dimensions <small>*according to UNE-EN 1335-1</small>	Total Dimensions: Height: 845 mm Width: 496 mm Depth: 519 mm Dimensions Seat: Height: 482 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 813 a 873 mm Width: 587 mm Depth: 587 mm Dimensions Seat: Height: 443 a 503 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 893 a 943 mm Width: 675 mm Depth: 675 mm Dimensions Seat: Height: 438-488 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 1088 a 1148 mm Width: 675 mm Depth: 675 mm Dimensions Seat: Height: 703 a 763 mm Width: 443 mm Depth: 519 mm

Noom Serie 50



Model	NOOM Serie 50 - Beam Seating			
Model reference	Beam seating - 3 Places		Beam seating - 4 Places	
Model of Backrest	High Backres	High Backres	High Backres	High Backres
Backrest and Seat	Polypropylene: Polypropylene (P.P) frame, 5 mm thick, with glass fibre. Optional seat Pad Upholstered with an ergonomic cushion (110-120 kg/m ³) in upholstered or PUR Upholstered: Polypropylene (P.P) frame, with PU (polyurethane) flexible molded foam density of 40kg/m ³ , upholstered finish with simple cleaning and maintenance.			
Arms	Model without arms	Model without arms	Model without arms	Model without arms
Bottom structure	Bottom frame of injected aluminum, in white or black finish.	Bottom frame of injected aluminum, in white or black finish.	Bottom frame of injected aluminum, in white or black finish.	Bottom frame of injected aluminum, in white or black finish.
Structure/Legs	Lower steel tube structural beam, 60 x 3 mm-thick circular section Injected aluminium legs with a 90-micron thick epoxy paint coating			
Supports	3 mm thick polypropylene (P.P) end caps in a black finish.	3 mm thick polypropylene (P.P) end caps in a black finish.	3 mm thick polypropylene (P.P) end caps in a black finish.	3 mm thick polypropylene (P.P) end caps in a black finish.
Optional Table		Optional C. Laminate table in white or black finish - 13 mm thick		Optional C. Laminate table in white or black finish - 13 mm thick
Dimensions <small>*according to UNE-EN 1335-1</small>	Total Dimensions: Height: 825 mm Width: 1569 mm Depth: 520 mm Dimensions Seat: Height: 462 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 825 mm Width: 1569 mm Depth: 520 mm Dimensions Seat: Height: 462 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 825 mm Width: 2109 mm Depth: 520 mm Dimensions Seat: Height: 462 mm Width: 443 mm Depth: 519 mm	Total Dimensions: Height: 825 mm Width: 2109 mm Depth: 520 mm Dimensions Seat: Height: 462 mm Width: 443 mm Depth: 519 mm

UPHOLSTERED WITH SIMPLE SEWING - MONOCOLOUR



Fabric V - Valencia



Fabric P - Savana



UPHOLSTERED WITH SEWING WITH TRIM - MONOCOLOUR + COLOR TRIM




Fabric M - Melange & Step

Trim



Seat and Backrest - Outside and Inside



Fabric A - Synergy

Trim



Seat and Backrest - Outside and Inside



UPHOLSTERED WITH FRENCH SEWING - MONOCOLOUR



Fabric M - Step & Step Melange



Fabric D - Felicity



Fabric A - Synergy



UPHOLSTERED WITH FRENCH SEWING - BICOLOUR



Fabric M - Melange & Step




Fabric A - Synergy



POLYPROPYLENE




STRUCTURE





POLYURETHANE



UPHOLSTERED



UPHOLSTERED - ONLY WITH BLUE / ORANGE STRUCTURE



Available structure combinations



- 

White Frame
 - **White** arms
 - **White** lower cover
 - Structure - **Any finish**
- 

Black Frame
 - **Black** arms
 - **Black** lower cover
 - Structure - **Any finish**
- 

Blue/Grey/Dark Orange/Green/ Mustard
 - **White** arms
 - **White** lower cover
 - Structure - **White finish**
- 

Blue/Grey/Dark Orange/Green/ Mustard
 - **Black** arms
 - **Black** lower cover
 - Structure - **Black, Silver, Blue, Orange or Chrome finish**



- 
 - 
 - 
- Frame: Any finish**
 - **Black** lower cover
 - Structure / Base - **Any finish**

Standards

NOOM has passed tests done in our technical department as well as the tests done in AIDIMA the Technological Institute for furniture. The tests correspond to:

Standard	Description
UNE-EN 16139:2013vc2015	NOOM 10/20: Furniture. Strength, durability and safety. Requirements for non-domestic tests.

Certificates

The different programmes get points in different environmental categories to get the LEED certificate or WELL certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).

